

# SRE 3631 TC HEATER



## Product data sheet

<b>Product range</b>	Portable heaters
<b>Product line</b>	Laser
<b>Brand name</b>	Qlima
<b>Model name</b>	SRE 3631 TC
<b>Colour</b>	Dark grey metallic
<b>EAN code</b>	8713508768632

## Technical specifications

<b>Burner type</b>	Electronic Injection Burning System (BI)	
<b>Capacity</b>	kW	1.08 - 3.1
<b>Suitable space</b>	m <sup>2</sup>	20 - 48
	m <sup>3</sup>	50 - 120
<b>Fuel consumption</b>	ltr/hr	0.113 - 0.323
	g/hr	90 - 258
<b>Tank capacity</b>	ltr	5.0
<b>Autonomy</b>	hr	15.5 - 44
<b>Mains</b>	V / Hz	230 / 50
<b>Power consumption start</b>	W	335
<b>Power consumption burning</b>	W	78 - 123
<b>Noise level (low-high)</b>	dB(A)	28 - 35
<b>Dimensions (w x d x h) *</b>	mm	371 x 294 x 429
<b>Weight</b>	kg	8.1
<b>Guarantee</b>	years	4

\* including base plate

## Accessories

Instructions for use



Transportation cap

Manual siphon pump long

Fuel filter

## Most important spare parts

Description	Model	EAN Code
Removable fuel tank + "easy touch" fuel cap	5L	
Transportation cap		
Fuel Filter		



20 ft = 372  
40 ft = 756  
HQ = 945

W x D x H =  
417 x 342 x 490 mm Gross =  
9.6 kg

# SRE 3631 TC HEATER



Automatic extension mode




Automatic tip-over switch



Day timer



Save mode



Fuzzy Logic



Freezing prevention



Child proof lock



Room temperature thermistor

## Features

---

**High-tech burner:** This heater is equipped with a burner system that heats up extremely quick and very gradual. This gives a more comfortable heating sensation.

---

**Fuzzy logic:** This heater is equipped with a self-regulating temperature control system. The heating mode can be set according to the requirements.

---

**Semi-automatic operation:** This heater is equipped with a 24-hour programmable timer and integrated thermostatic control to maintain the desired room temperature.

---

**Wickless design:** Provides clean and economical heating without wick maintenance or replacement.

---

**Information display:** The digital displays helps to keep track of all the important heater functions.

---

**Safety devices:** This heater is equipped with a combustion quality sensor, an over-heat protector, a tip-over switch, a safe top and a burner thermistor for safe heating.

---

**Safety system:** This heater is fitted with a safety system that automatically switches off the heater after approximately 36 hours of continuous operation. Use the safety stop to switch off the heater immediately.

---

**Smart Save mode:** The 'SAVE' function allows you to keep the set temperature in the room. This saves on the energy consumption. Install the save mode at the lowest temperature setting (5°C) to activate the freezing prevention function.

---

**Childproof lock:** When this button is pressed, the operation of buttons will be blocked, except the on/off button.

---

**Easy touch cap:** A new way to easily mount the removable fuel tank cap without touching the tank directly.

---

**Automatic airflow control:** The speed of the built-in fan is self-regulatory, depending on the burning mode of the heater.

---

**Automatic extension operation mode:** When the fuel tank is almost empty, the display will show that the tank has to be refilled. The extension operation mode is activated and the heater switches to the lowest burning mode for more than one hour.

---

**Large autonomie:** The large 5.0 l fuel tank is good for up to 44h of pleasant heat.

---

**Additional heat output:** All consumed electric energy is emitted in the room to be heated.

---

**Anti-odeur system:** The perfectly balanced heating system burns almost 100% of all fumes and gasses throughout the complete combustion process (start up - heating - cooling down). The result is a comfortable heating experience without unpleasant odours.

---

**Quiet operation:** When heating the room, the device produces only a limited amount of sound. Also in the start up phase, the heater produces very little sound.

---

**Recyclability:** Over 90% of the heater can be recycled.

---

**Made in Japan:** This heater has been produced according to the ISO 9000:2000 Quality Control Standard.

---